



**Able Label stocks 4" O.D. or 5" O.D. by 1" Core label rolls which can be used with printer models with a maximum roll O.D. of 5.0".
Able Label can also provide all of our products on any core, O.D. or wind direction desired. Call 800.348.1455 for quote.**

ZEBRA PRINTERS			MEDIA/LABEL SPECIFICATIONS (O.D.: OUTSIDE DIAMETER ~ I.D.: INSIDE DIAMETER)					RIBBON SPECIFICATIONS				
Model	Print Method	Printer Type	Maximum Roll O.D.	Core I.D.	Min Width	Max Width	Max Print Width	Max Width	Max Length	Ink Wind	Core I.D.	
GC420d	DT ONLY	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	Not Required				
GC420t	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
GK420d	DT ONLY	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	Not Required				
GK420t	TT & DT	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
GK888d	DT ONLY	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	Not Required				
GK888t	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
GT800d	DT ONLY	Desktop	5.0"	1.0"	0.75"	4.49"	4.09"	Not Required				
GT800t (0.5" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.75"	4.49"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
GT800t (1.0" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.75"	4.49"	4.09"	4.3" (109 mm)	984' (300 m)	OUT	1.0"	
GX420d	DT ONLY	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	Not Required				
GX420t	TT & DT	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
GX430t	TT & DT	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	4.3" (109 mm)	244' (74 m)	OUT	0.5"	
LP2824	DT ONLY	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	Not Required				
LP2824 Plus	DT ONLY	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	Not Required				
LP2824-Z	DT ONLY	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	Not Required				
LP2844	DT ONLY	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	Not Required				
LP2844-Z	DT ONLY	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	Not Required				
TLP 2824	TT & DT	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	2.24" (57 mm)	244' (74 m)	OUT	0.5"	
TLP 2824 Plus	TT & DT	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	2.24" (57 mm)	244' (74 m)	OUT	0.5"	
TLP 2824-Z	TT & DT	Desktop	5.0"	1.0"	1.0"	2.36"	2.2"	2.24" (57 mm)	244' (74 m)	OUT	0.5"	

Any information published deemed reliable but not guaranteed. Please refer to the manufacturer's documentation for more information.



**Able Label stocks 4" O.D. or 5" O.D. by 1" Core label rolls which can be used with printer models with a maximum roll O.D. of 5.0".
Able Label can also provide all of our products on any core, O.D. or wind direction desired. Call 800.348.1455 for quote.**

ZEBRA PRINTERS			MEDIA/LABEL SPECIFICATIONS (O.D.: OUTSIDE DIAMETER ~ I.D.: INSIDE DIAMETER)					RIBBON SPECIFICATIONS			
Model	Print Method	Printer Type	Maximum Roll O.D.	Core I.D.	Min Width	Max Width	Max Print Width	Max Width	Max Length	Ink Wind	Core I.D.
TLP 2844	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
TLP 2844-Z	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
TLP 3842	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
TLP 3844-Z	TT & DT	Desktop	5.0"	1.0"	1.0"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
ZD220d / ZD230d	DT ONLY	Desktop	5.0"	1.0"	1.0"	4.4"	4.09"	Not Required			
ZD220t / ZD230t (0.5" Ribbon Core)	DT or TT	Desktop	5.0"	1.0"	1.0"	4.4"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
ZD230t (1" Ribbon Core)	DT or TT	Desktop	5.0"	1.0"	1.0"	4.4"	4.09"	4.3" (110 mm)	984' (300 m)	OUT	1"
ZD410	DT ONLY	Desktop	5.0"	1.0"	0.585"	2.36"	2.2"	Not Required			
ZD420c	DT ONLY	Desktop	5.0"	1.0"	0.585"	4.65"	4.09"	Zebra Ribbon Cartridge			
ZD420d	DT ONLY	Desktop	5.0"	1.0"	0.585"	4.25"	4.09"	Not Required			
ZD420t (0.5" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.585"	4.65"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
ZD420t (1" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.585"	4.65"	4.09"	4.3" (110 mm)	984' (300 m)	OUT	1"
ZD500	DT or TT	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
ZD500R	DT or TT	Desktop	5.0"	1.0"	0.75"	4.25"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
ZD620d / ZD620d-HC / ZD621 / ZD621-HC / ZD621R Direct Thermal	DT ONLY	Desktop	5.0"	1.0"	0.585"	4.25"	4.09"	Not Required			
ZD620t / ZD620t-HC / ZD621 / ZD621-HC / ZD621R Thermal Transfer (0.5" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.585"	4.65"	4.09"	4.3" (110 mm)	244' (74 m)	OUT	0.5"
This line intentionally left blank.											

Any information published deemed reliable but not guaranteed. Please refer to the manufacturer's documentation for more information.



**Able Label stocks 4" O.D. or 5" O.D. by 1" Core label rolls which can be used with printer models with a maximum roll O.D. of 5.0".
Able Label can also provide all of our products on any core, O.D. or wind direction desired. Call 800.348.1455 for quote.**

ZEBRA PRINTERS		MEDIA/LABEL SPECIFICATIONS (O.D.: OUTSIDE DIAMETER ~ I.D.: INSIDE DIAMETER)						RIBBON SPECIFICATIONS			
Model	Print Method	Printer Type	Maximum Roll O.D.	Core I.D.	Min Width	Max Width	Max Print Width	Max Width	Max Length	Ink Wind	Core I.D.
ZD620t / ZD620t-HC / ZD621 / ZD621-HC / ZD621R Thermal Transfer (1" Ribbon Core)	TT & DT	Desktop	5.0"	1.0"	0.585"	4.65"	4.09"	4.3" (110 mm)	984' (300 m)	OUT	1"
ZP450	DT ONLY	Desktop	5.0"	1.0"	~	4.125" fixed	4.09"	Not Required			
ZP450 CTP	DT ONLY	Desktop	5.0"	1.0"	~	4.125" fixed	4.09"	Not Required			
ZP500 Plus	DT ONLY	Desktop	5.0"	1.0"	~	4.125" fixed	4.0"	Not Required			
ZE500-4	DT or TT	Print Engine	4.0"	1.0"	0.625"	4.5"	4.1"	4.2" (107 mm)	1,970' (600 m)	OUT	1"
ZE500-6	DT or TT	Print Engine	4.0"	1.0"	3.0"	7.1"	6.6"	7.1" (180 mm)	1,970' (600 m)	OUT	1"
105S	TT & DT	Industrial	8.0"	3.0"	0.75"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
105Se	TT & DT	Industrial	8.0"	3.0"	0.75"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
105SL	TT & DT	Industrial	8.0"	3.0"	0.79"	4.5"	4.49"	4.49" (114 mm)	1,476' (450 m)	OUT	fiber; 1"
105SLPlus	TT & DT	Industrial	8.0"	3.0"	0.79"	4.5"	4.0"	4.49" (114 mm)	1,476' (450 m)	OUT	fiber; 1"
160S	TT & DT	Industrial	8.0"	3.0"	2.0"	7.2"	6.3"	6.9" (175 mm)	1,476' (450 m)	OUT	fiber; 1"
110XIIIPlus	TT & DT	Industrial	8.0"	3.0"	0.79"	4.5"	4.0"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
140XIIIPlus	TT & DT	Industrial	8.0"	3.0"	1.57"	5.5"	5.04"	5.1" (130 mm)	1,476' (450 m)	OUT	fiber; 1"
170XIIIPlus	TT & DT	Industrial	8.0"	3.0"	2.0"	7.1"	6.6"	6.7" (170 mm)	1,476' (450 m)	OUT	fiber; 1"
220XIIIPlus	TT & DT	Industrial	8.0"	3.0"	4.25"	8.8"	8.5"	8.6" (220 mm)	1,476' (450 m)	OUT	fiber; 1"
110Xi4	DT or TT	Industrial	8.0"	3.0"	0.79"	4.5"	4.0"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
140Xi4	DT or TT	Industrial	8.0"	3.0"	1.57"	5.5"	5.04"	5.1" (130 mm)	1,476' (450 m)	OUT	fiber; 1"
170Xi4	DT or TT	Industrial	8.0"	3.0"	2.0"	7.1"	6.6"	6.7" (170 mm)	1,476' (450 m)	OUT	fiber; 1"
220Xi4	DT or TT	Industrial	8.0"	3.0"	4.25"	8.8"	8.5"	8.6" (220 mm)	1,476' (450 m)	OUT	fiber; 1"

Any information published deemed reliable but not guaranteed. Please refer to the manufacturer's documentation for more information.



**Able Label stocks 4" O.D. or 5" O.D. by 1" Core label rolls which can be used with printer models with a maximum roll O.D. of 5.0".
Able Label can also provide all of our products on any core, O.D. or wind direction desired. Call 800.348.1455 for quote.**

ZEBRA PRINTERS			MEDIA/LABEL SPECIFICATIONS (O.D.: OUTSIDE DIAMETER ~ I.D.: INSIDE DIAMETER)					RIBBON SPECIFICATIONS			
Model	Print Method	Printer Type	Maximum Roll O.D.	Core I.D.	Min Width	Max Width	Max Print Width	Max Width	Max Length	Ink Wind	Core I.D.
90XIIIPlus	TT & DT	Industrial	8.0"	3.0"	0.79"	3.54"	3.4"	3.4" (87 mm)	1,476' (450 m)	OUT	fiber; 1"
96XIIIPlus	TT & DT	Industrial	8.0"	3.0"	0.79"	3.54"	3.2"	3.4" (87 mm)	1,476' (450 m)	OUT	fiber; 1"
S4M	DT or TT	Industrial	8.0"	3.0"	0.75"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
Z4M	TT & DT	Industrial	8.0"	3.0"	~	4.5"	4.1"	4.3" (109 mm)	1,476' (450 m)	OUT	fiber; 1"
Z4Mplus	TT & DT	Industrial	8.0"	3.0"	1.0"	4.5"	4.09"	4.3" (109 mm)	1,476' (450 m)	OUT	fiber; 1"
Z6M	TT & DT	Industrial	8.0"	3.0"	~	7.0"	6.6"	6.85" (174 mm)	1,476' (450 m)	OUT	fiber; 1"
Z6Mplus	TT & DT	Industrial	8.0"	3.0"	2.0"	7.0"	6.6"	6.85" (174 mm)	1,476' (450 m)	OUT	fiber; 1"
ZM400	DT or TT	Industrial	8.0"	3.0"	1"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
ZM600	DT or TT	Industrial	8.0"	3.0"	2"	7.0"	6.6"	6.85" (174 mm)	1,476' (450 m)	OUT	fiber; 1"
ZT220	DT or TT	Industrial	8.0"	3.0"	0.75"	4.5"	4.09"	4.33" (110 mm)	984' (300 m)	OUT	fiber; 1"
ZT230	DT or TT	Industrial	8.0"	3.0"	0.75"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	fiber; 1"
ZT410	TT & DT	Industrial	8.0"	3.0"	1.0"	4.25"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	1"
ZT420	TT & DT	Industrial	8.0"	3.0"	2.0"	6.75"	6.6"	4.33" (110 mm)	1,476' (450 m)	OUT	1"
ZT510	TT & DT	Industrial	8.0"	3.0"	0.79"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	1"
ZT610	TT & DT	Industrial	8.0"	3.0"	0.79"	4.5"	4.09"	4.33" (110 mm)	1,476' (450 m)	OUT	1"
ZT620	TT & DT	Industrial	8.0"	3.0"	2.0"	7.1"	6.6"	6.7" (170 mm)	1,476' (450 m)	OUT	1"
QL220	DT ONLY	Mobile	2.2"	0.75"	0.63"	2.18"	1.89"	Not Required			
QL320	DT ONLY	Mobile	2.6"	0.75"	1.25"	3.12"	2.9"	Not Required			
QL420	DT ONLY	Mobile	2.6"	0.75"	2.0"	4.12"	4.09"	Not Required			
QL220 Plus	DT ONLY	Mobile	2.2"	0.75"	0.63"	2.18"	1.89"	Not Required			
QL320 Plus	DT ONLY	Mobile	2.6"	0.75"	1.25"	3.12"	2.9"	Not Required			

Any information published deemed reliable but not guaranteed. Please refer to the manufacturer's documentation for more information.



**Able Label stocks 4" O.D. or 5" O.D. by 1" Core label rolls which can be used with printer models with a maximum roll O.D. of 5.0".
Able Label can also provide all of our products on any core, O.D. or wind direction desired. Call 800.348.1455 for quote.**

ZEBRA PRINTERS			MEDIA/LABEL SPECIFICATIONS (O.D.: OUTSIDE DIAMETER ~ I.D.: INSIDE DIAMETER)					RIBBON SPECIFICATIONS			
Model	Print Method	Printer Type	Maximum Roll O.D.	Core I.D.	Min Width	Max Width	Max Print Width	Max Width	Max Length	Ink Wind	Core I.D.
QL420 Plus	DT ONLY	Mobile	2.6"	0.75"	2.0"	4.12"	4.09"		Not Required		
QLn220	DT ONLY	Mobile	2.2"	0.75"	0.63"	2.18"	1.9"		Not Required		
QLn320	DT ONLY	Mobile	2.6"	0.75"	1.0"	3.125"	2.8"		Not Required		
QLn420	DT ONLY	Mobile	2.6"	0.75"	2.0"	4.4"	4.1"		Not Required		
RW220	DT ONLY	Mobile	2.25"	0.75"	1.0"	2.37"	2.2"		Not Required		
RW420	DT ONLY	Mobile	2.25"	0.75"	2.0"	4.12"	4.09"		Not Required		
P4T	TT & DT	Mobile	2.6"	0.75"	2.0"	4.12"	4.09"		Zebra Ribbon Cartridge		
RP4T	TT & DT	Mobile	2.6"	0.75"	2.0"	4.12"	4.09"		Zebra Ribbon Cartridge		
ZQ510	DT ONLY	Mobile	2.0"	0.75"	1.38"	3.15"	2.83"		Not Required		
ZQ520	DT ONLY	Mobile	2.25"	0.75"	2.75"	4.45"	4.09"		Not Required		
ZQ610	DT ONLY	Mobile	2.2"	0.75"	1.0"	2.18"	1.9"		Not Required		
ZQ620	DT ONLY	Mobile	2.6"	0.75"	1.0"	3.125"	2.8"		Not Required		
ZQ630	DT ONLY	Mobile	2.6"	0.75"	2.0"	4.4"	4.1"		Not Required		

Any information published deemed reliable but not guaranteed. Please refer to the manufacturer's documentation for more information.